

# Muse Outdoor

Tristan Auer



BATTERY

WIRED

SO



Prodotto icona, una lanterna dal design originale e dai dettagli preziosi, come la maniglia in cuoio intrecciato, per un outdoor esclusivo e raffinato. Una “chicca” la versione a batteria ricaricabile, con crescenti applicazioni sia nel commerciale che nel navale.

*An iconic product, a lantern with an original design and precious details, such as the braided leather handle, for an exclusive and refined outdoor. The rechargeable battery version is widely used, with increasing applications both in the commercial and in the naval sector.*

## SPECIFICHE PRODOTTO / PRODUCT SPECIFICS

MUSE OUTDOOR MEDIUM  
MUSE OUTDOOR LARGE

p.2

MUSE OUTDOOR SMALL BATTERY  
MUSE OUTDOOR MEDIUM BATTERY  
MUSE OUTDOOR LARGE BATTERY

p.4  
p.5

MUSE OUTDOOR SO MEDIUM  
MUSE OUTDOOR SO LARGE

p.6  
p.7  
p.8

p.9  
p.10

**STRUTTURA / FRAME**



Laccato bianco opaco  
Trattamento cataforesi Marine  
Grade  
*Matt white lacquered  
Marine Grade with cataphoresis  
treatment*



Laccato nero opaco  
Trattamento cataforesi Marine  
Grade  
*Matt black lacquered  
Marine Grade with cataphoresis  
treatment*




Maniglia in cuoio intrecciato  
bianco / nero  
*Black / white braided leather handle*

**DIFFUSORE / DIFFUSER**



Acrilico satinato  
*Satin finish acrylic*



**CAVO / CABLE****SO**

Cavo nero e catena in metallo  
*Black cable and metal chain*

H: 1500 mm  
*H: 59"*

**TA**

Cavo nero  
*Black cable*

Fornito con connettore  
 da esterno IP68  
*IP68 outdoor connector*

L: 2000 mm  
*L: 78,7"*

**FONTI LUMINOSA / LIGHT SOURCE****220-240V**

**Versione CABLATA / SO**  
**WIRED version / SO**

E27 LED

1 x 10W E27 T8  
 Lampadina LED  
*LED light bulb*  
 IP65



Compatibile con sistemi di controllo  
 remoto in caso di utilizzo di lampadine  
 LED dimmerabili

*Compatible with remote control systems  
 when dimmable LED bulbs are used*

**Versione BATTERIA**  
**BATTERY version**



LED module

1 x 3W  
 LED module  
 Emissione / Light emission: 430 Lm  
 3,000 K; CRI: >90  
 IP65

Autonomia: 6/8 ore  
 Cicli di vita: 600  
 Tempi di ricarica: 4 ore  
 Caricabatterie comprensivo  
 di alimentatore fornito

*Autonomy: 6/8 hours  
 Lifestyle cycles: 600  
 Charging time: about 4 hours  
 Supplied with battery charger*

**110V**

**WIRED version / SO**

E26 LED

1 x 10W E26 T8  
 LED light bulb  
 IP65



Compatible with remote control systems  
 when dimmable LED bulbs are used

**BATTERY version**




LED module

1 x 3W  
 LED module  
 Light emission: 430 Lm  
 3,000 K; CRI: >90  
 IP65

Autonomy: 6/8 hours  
 Lifestyle cycles: 600  
 Charging time: about 4 hours  
 Supplied with battery charger





**PRDOTTO / PRODUCT**   **IMBALLI / PACKAGING**

**Peso-Weight**

6 kg / 13.2 lbs


**Box 1**

L: 520 mm / 20.4"

P-W: 520 mm / 20.4"

H: 550 mm / 21.6"

Peso-Weight: 7 kg / 15.4 lbs



**PRDOTTO / PRODUCT** **IMBALLI / PACKAGING**

**Peso-Weight**

11 kg / 24.2 lbs





**Box 1**

L: 640 mm / 25.2"

P-W: 640 mm / 25.2"

H: 730 mm / 28.7"

Peso-Weight: 12.5 kg / 27.5 lbs



**PRDOTTO / PRODUCT** **IMBALLI / PACKAGING**

**Peso-Weight**

1 kg / 2.2 lbs


**Box 1**

L: 320 mm / 12.6"

P-W: 320 mm / 12.6"


H: 330 mm / 13"

Peso-Weight: 2.5 kg / 5.5 lbs



PRDOTTO / PRODUCT IMBALLI / PACKAGING

Peso-Weight	Box 1
6 kg / 13.2 lbs	L: 520 mm / 20.4"
	P-W: 520 mm / 20.4"
	H: 550 mm / 21.6"
	Peso-Weight: 7 kg / 15.4 lbs



**PRDOTTO / PRODUCT IMBALLI / PACKAGING**

**Peso-Weight**

11 kg / 24.2 lbs

**Box 1**


L: 640 mm / 25.2"

P-W: 640 mm / 25.2"

H: 730 mm / 28.7"

Peso-Weight: 12.5 kg / 27.5 lbs





PRDOTTO / PRODUCT IMBALLI / PACKAGING

Peso-Weight

6 kg / 13.2 lbs


Box 1

L: 520 mm / 20.4"

P-W: 520 mm / 20.4"

H: 550 mm / 21.6"

Peso-Weight: 7 kg / 15.4 lbs



PRDOTTO / PRODUCT IMBALLI / PACKAGING

Peso-Weight

11 kg / 24.2 lbs

Box 1

L: 640 mm / 25.2"

P-W: 640 mm / 25.2"

H: 730 mm / 28.7"

Peso-Weight: 12.5 kg / 27.5 lbs

Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means, whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi lighting srl asserts all rights to be identified as the author of the work and otherwise.

WARNING: The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.

---

**CONTARDI LIGHTING Srl**

ITALY HEADQUARTERS

[www.contardi-italia.com](http://www.contardi-italia.com) / [sales@contardi-italia.it](mailto:sales@contardi-italia.it)

**CONTARDI USA Inc**

USA BRANCH

[www.contardi-usa.com](http://www.contardi-usa.com) / [sales@contardi-usa.com](mailto:sales@contardi-usa.com)

